

## AMENDMENTS TO THE CLAIMS

**This listing of claims will replace all prior versions and listings of claims in the application:**

### **LISTING OF CLAIMS:**

#### **What is claimed is:**

(Original) 1. An optical functional film comprising:  
a multilayer film having a plurality of stacked films,  
wherein the plurality of films are formed of a same material,  
and refractive indices of adjacent ones of the plurality of  
films are different from each other.

(Original) 2. An optical functional film according to  
claim 1, wherein stresses of prescribed ones of the plurality  
of films of the multilayer film have opposite signs with  
respect to adjacent ones of the plurality of films.

(Original) 3. An optical functional film according to  
claim 1, wherein stresses of prescribed ones of the plurality  
of films of the multilayer film have opposite signs and an  
equal magnitude with respect to adjacent ones of the plurality  
of films.

(Original) 4. An optical functional film according to  
claim 1, wherein said multilayer film is grown by chemical  
vapor deposition (CVD).

(Original) 5. A method of forming an optical functional film comprising a multilayer film formed by stacking a plurality of films in CVD, said method including:

forming the plurality of films with a same material; and  
adjusting at least one of a frequency of a radio-frequency voltage to be applied, an RF power, and a gas flow rate ratio, on forming each of the films, to control a stress and a refractive index of each of the films so that refractive indices of adjacent films are different from each other.

(Currently Amended) 6.5 A method of forming an optical functional film including a multilayer film which is formed by stacking plural films by CVD, wherein a same material is used as a raw material, and, in formation of each of said films, a stress and a refractive index of said film are controlled by adjusting at least one of a frequency of a radio-frequency voltage to be applied, an RF power, and a gas flow rate ratio, whereby adjacent films are formed to have different refractive indices.

(Currently Amended) 7. 6 A spatial light modulator comprising:

a support substrate that has an electrode layer; and  
a movable thin film that has at least an electrode layer,  
said movable thin film being opposingly placed above said

support substrate with being separated by a predetermined gap distance in a manner that said movable thin film is flexurally deformable toward said support substrate,

wherein a predetermined driving voltage is applied between said electrode layer of said support substrate and said electrode layer of said movable thin film to cause said movable thin film to be deflected toward said support substrate by an electrostatic force acting between said electrode layers, whereby optical characteristics of said device with respect to incident light are changed to perform light modulation on the incident light,

and wherein an optical functional film according to claim 1 is disposed on each of sides of said movable thin film and said support substrate, said sides being opposed to each other, and said optical characteristics are optical interference characteristics corresponding to the gap distance between said movable thin film and said support substrate, and a wavelength of the incident light.

(currently Amended) 8. ~~7.~~ A spatial light modulator array wherein plural spatial light modulators according to claim 6 are arranged one- or two-dimensionally.

(Currently Amended) 9. ~~8.~~ An image forming device comprising:

a light source;

a spatial light modulator array according to claim 7;

an illumination optical system which illuminates said spatial light modulator array with light from said light source; and

a projection optical system which projects light emitted from said spatial light modulator array onto an image forming face.

(Currently Amended) 10. ~~9.~~ A flat panel display comprising:

a light source which emits ultraviolet rays;

a spatial light modulator array according to claim 7;

an illumination optical system which illuminates said spatial light modulator array with light from said light source; and

a fluorescent member which is excited by light emitted from said spatial light modulator array to emit light.